Physica C 192 (1992) 491–495
North-Holland

PHYSICA C

Author Index to Volume 192

Adachi, S., T. Sakurai, Y. Yaegashi, H. Yamauchi and S. Tanaka, Co-substitution effect in superconducting $(La,Sr)_2(Ca,Y)Cu_2O_6$ **192**, 351
Adamowicz, L. and A. Pondo, Electronic structure and hole distribution in CuO_2 plane of HTSC **192**, 467
Agarwal, S.K., see K.V.R. Rao **192**, 419
Agrawal, B.K., J.S. Negi, S. Agrawal and P.S. Yadav, Phonons and specific heat in high-T_c $Tl_{1(2)}Ba_2Ca_{n-1}Cu_nO_{2n+3(4)}$ superconductors **192**, 237
Agrawal, S., see B.K. Agrawal **192**, 237
Aleksashin, B.A., see N.E. Alekseevskii **192**, 147
Alekseevskii, N.E., E.G. Nikolaev, A.V. Mitin, E.P. Khlybov, Yu.I. Zhdanov, B.A. Aleksashin, K.N. Mikhaljov, S.V. Verkhovskii, V.V. Lavrentjev and E.Yu. Medvedev, Spin–lattice relaxation, NQR ^{63}Cu and NMR $_{205}Tlin$ $Tl_2Ba_2CuO_{6+\delta}$ **192**, 147
Andersen, O.K., see J. Kircher **192**, 473
Andrianov, V.A., M.G. Kozin, I.L. Romashkina, V.S. Shpinel, V.P. Shabatin and O.A. Shlyakhtin, Mössbauer studies of the $YBa_2Cu_3(^{57}Co)O_{7-x}$ ceramics under oxygen exchange with a gas ambient **192**, 8
Artemenko, S.N. and W. Wonneberger, AC response of Abrikosov vortices in layered superconductors **192**, 453
Asayama, K., see Y. Kitaoka **192**, 272
Awana, V.P.S., see K.V.R. Rao **192**, 419

Babcock, S.E., see Y. Feng **192**, 293
Baier, U., see Ph. Seng **192**, 403
Bailey, K.G., see L.C. Smedskjaer **192**, 259
Baker, S., see V. Bhat **192**, 95
Bakker, K., see Z. Kozioł **192**, 284
Bando, Y., see K. Yamamoto **192**, 47
Bansil, A., see L.C. Smedskjaer **192**, 259
Barkatt, A., see S. Hu **192**, 75
Batlogg, B., see H.Y. Hwang **192**, 362
Baudelet, F., see H. Tolentino **192**, 115
Bellini, S., see C. Paracchini **192**, 443
Bhat, V., B.C. Crooker, S. Baker and J.M. Honig, $La_{1.8}Sr_{0.2}Ni_{1-x}Cu_xO_{4+\delta}$, $(0 \leqslant x \leqslant 0.9)$: magnetization measurements **192**, 95
Boekholt, M., G. Güntherodt and V.V. Moshchalkov, Resonant Raman scattering in $Bi_2Sr_2Ca_{1-z}Y_zCu_2O_{8+\delta}$ single crystals **192**, 191
Boroomand, M., see S. Hu **192**, 75
Brüll, P., see G.V. Uimin **192**, 481

Cardona, M., see J. Kircher **192**, 473
Cava, R.J., see H.W. Zandbergen **192**, 223
Chaddah, P., see A.K. Grover **192**, 372
Chandra, G., see A.K. Grover **192**, 372
Chandrachood, M.R., A.P.B. Sinha, D.E. Morris and J.S. Surnow, Lithium substituted superconducting $Y_1Ba_2Cu_4O_8$ formed in elevated oxygen pressure **192**, 103
Cheong, S.-W., see H.Y. Hwang **192**, 362
Chew, N.G., see S.W. Goodyear **192**, 85
Chicault, R., see A. Jánossy **192**, 399
Chin, T.S., J.Y. Huang, L.H. Perng, T.W. Huang, S.J. Yang and S.E. Hsu, Bi(Pb)SrCaCuO films on $NiSi_2$/Si (100), CeO_2/Si (100) and MgO (001) by in situ DC-sputtering **192**, 154
Cohn, J.L., S.A. Wolf, T.A. Vanderah, V. Selvamanickam and K. Salama, Lattice thermal conductivity of $YBa_2Cu_3O_{7-\delta}$ **192**, 435
Cooper, A.S., see H.Y. Hwang **192**, 362
Crabtree, G.W., see J. Kircher **192**, 473
Craven, C.A., see J.S. Luo **192**, 356
Crooker, B.C., see V. Bhat **192**, 95
Cucolo, A.M., R. Di Leo and F. Licci, Reproducible tunneling characteristics and zero-bias anomalies in Y–Ba–Cu–O tunnel junctions **192**, 279
Cui, C.G., C.C. Lam, S.T. Tang, S.L. Li, X.N. Jiang, P.C.W. Fung, B.C. Yang and X.P. Wang, Flux pinning behaviour in high-J_c single crystal $YBa_2Cu_3O_y$ thin film **192**, 385

Datars, W.R., see R.K. Nkum **192**, 215
De Châtel, P., see Z. Kozioł **192**, 284
Demourgues, A., F. Weill, J.C. Grenier, A. Wattiaux and M. Pouchard, Electron microscopy study of electrochemically prepared $La_2NiO_{4+\delta}$ $(0.17 \leqslant \delta \leqslant 0.26)$ **192**, 425
De Visser, A., see Z. Kozioł **192**, 284
Di Leo, R., see A.M. Cucolo **192**, 279
Dolgov, O.V., see S.V. Shulga **192**, 41
Doyle, S.M., see M.P. Sridhar Kumar **192**, 462
Dravid, V.P., H. Zhang, L.D. Marks and J.P. Zhang, Combined HRTEM, X-ray microchemical and EELS fine structure analysis of planar defects in $YBa_2Cu_3O_{7-\delta}$ **192**, 31
Dulčić, A., see C. Kessler **192**, 79

Edwards, J.A., see S.W. Goodyear **192**, 85
Enomoto, Y., K. Katsumi, R. Kato and S. Maekawa, Computer simulations of a vortex line motion in type-II superconductors **192**, 166

Fang, Y., see L.C. Smedskjaer **192**, 259
Fang, Y., see J. Kircher **192**, 473
Feng, Y., K.E. Hautanen, Y.E. High, D.C. Larbalestier, R. Ray II, E.E. Hellstrom and S.E. Babcock, Microstructural

analysis of high critical current density Ag-clad Bi–Sr–Ca–Cu–O (2:2:1:2) tapes **192**, 293
Foldeaki, M., see M. Paranthaman **192**, 161
Fontaine, A., see H. Tolentino **192**, 115
Franse, J.J.M., see Z. Kozioł **192**, 284
Fuchs, D., see J. Kircher **192**, 473
Fung, P.C.W., see C.G. Cui **192**, 385

Gantmakher, V.F., see G.V. Uimin **192**, 481
Gao, W., R. Parrella and J. Vander Sande, Magnetic field dependence of J_c in Bi–Pb–Sr–Ca–Cu–O/Ag superconducting microcomposites **192**, 173
Gao, Y., see M. Qi **192**, 55
Garg, K.B., see K.V.R. Rao **192**, 419
Garriga, M., see J. Kircher **192**, 473
Genoud, J.-Y., T. Graf, G. Triscone, A. Junod and J. Muller, Variation of the superconducting and structural properties of $Y_2Ba_4Cu_7O_z$ with oxygen content ($14.1 < z < 15.3$, $30\ K \leqslant T_c \leqslant 95\ K$) **192**, 137
Goodenough, J.B., see C.L. Wooten **192**, 13
Goodyear, S.W., J.S. Satchell, R.G. Humphreys, N.G. Chew and J.A. Edwards, Critical currents and rapid measurements of magnetic relaxation in superconducting thin films **192**, 85
Gopalan, S., see J. Kircher **192**, 473
Gourieux, T., see H. Tolentino **192**, 115
Graf, T., see J.-Y. Genoud **192**, 137
Graybeal, J.M., see J.T. Kucera **192**, 23
Grenier, J.C., see A. Demourgues **192**, 425
Gross, R., see Ph. Seng **192**, 403
Grover, A.K., S. Ramakrishnan, R. Kumar, P.L. Paulose, G. Chandra, S.K. Malik and P. Chaddah, Scope and limitations of DC and AC magnetization techniques to locate irreversibility line in conventional superconductors **192**, 372
Gruen, D.M., see J.S. Luo **192**, 356
Güntherodt, G., see M. Boekholt **192**, 191

Habermeier, H.-U., see J. Kircher **192**, 473
Hautanen, K.E., see Y. Feng **192**, 293
Heeger, A.J., see K.F. Voss **192**, 131
Hellstrom, E.E., see Y. Feng **192**, 293
Henry, J.Y., see H. Tolentino **192**, 115
Hermann, A.M., see M. Paranthaman **192**, 161
Herrmann, R., see G. Lacayo **192**, 207
Higa, H., M. Maeda, I. Suzuki, T. Ushida, K. Higashiyama, I. Hirabayashi and S. Tanaka, The relationship between the individual components of YBCO films prepared by MOCVD with ArF laser beam irradiation **192**, 202
Higashiyama, K., see H. Higa **192**, 202
High, Y.E., see Y. Feng **192**, 293
Hirabayashi, I., see H. Higa **192**, 202
Hojaji, H., see S. Hu **192**, 75
Honig, J.M., see V. Bhat **192**, 95
Hsu, S.E., see T.S. Chin **192**, 154
Hu, S., H. Hojaji, A. Barkatt, M. Boroomand and M. Hung, Basic pinning mechanisms in high-T_c superconductors **192**, 75
Huang, J.Y., see T.S. Chin **192**, 154
Huang, T.W., see T.S. Chin **192**, 154
Huebener, R.P., see Ph. Seng **192**, 403
Humlíček, J., see J. Kircher **192**, 473
Humphreys, R.G., see S.W. Goodyear **192**, 85
Hung, M., see S. Hu **192**, 75
Hwang, H.Y., S.-W. Cheong, A.S. Cooper, L.W. Rupp Jr., B. Batlogg, G.H. Kwei and Z. Tan, Crystallographic evolution, $T' \rightarrow T^* \rightarrow T$, in $Pr_{2-x}Sr_xCuO_{4-\delta}$ **192**, 362

Ichinose, A., T. Wada, Y. Yaegashi, A. Nara, H. Yamauchi and S. Tanaka, Ba-free "223" layered copper oxides, $(Ho,Ce)_2Sr_2Cu_3O_{8+z}$ and $(Eu,Ce)_2(Eu,Sr)_2Cu_{3-x}M_xO_{8+z}$ (M = Fe, Co and Al) **192**, 1
Ichinose, A., see T. Wada **192**, 181

Jánossy, A. and R. Chicault, Electron paramagnetic resonance without vortex noise in superconducting Gd doped YBaCuO **192**, 399
Jepsen, O., see J. Kircher **192**, 473
Jia, Y.X., see K.F. McCarty **192**, 331
Jiang, X.N., see C.G. Cui **192**, 385
Junod, A., see J.-Y. Genoud **192**, 137

Kallias, G., see M. Pissas **192**, 35
Kästner, G., see G. Lacayo **192**, 207
Kato, R., see Y. Enomoto **192**, 166
Katsumi, K., see Y. Enomoto **192**, 166
Kessler, C., B. Nebendahl, A. Dulčić, Th. Wolf and M. Mehring, Origin of discrete microwave absorption lines in $YBa_2Cu_3O_{7-x}$ single crystals **192**, 79
Khlybov, E.P., see N.E. Alekseevskii **192**, 147
Kimura, T., K. Kishio, T. Kobayashi, Y. Nakayama, N. Motohira, K. Kitazawa and K. Yamafuji, Compositional dependence of transport anisotropy in large $(La, Sr)_2CuO_4$ single crystals and second peak in magnetization curves **192**, 247
Kircher, J., J. Humlíček, M. Garriga, M. Cardona, D. Fuchs, H.-U. Habermeier, O. Jepsen, S. Gopalan, O.K. Andersen, Y. Fang, U. Welp, K. Vandervoort and G.W. Crabtree, Interband transitions in $YBa_2Cu_3O_7$ **192**, 473
Kishio, K., see T. Kimura **192**, 247
Kitaoka, Y., S. Ohsugi, K. Asayama and T. Ohtani, Phonon suppression of the coherence peak in nuclear spin relaxation rate in strong coupling superconductor $TlMo_6Se_{7.5}$. Comparison with high-T_c superconductor **192**, 272
Kitazawa, K., see T. Kimura **192**, 247
Kobayashi, T., see T. Kimura **192**, 247
Koelle, D., see Ph. Seng **192**, 403
Kostikas, A., see M. Pissas **192**, 35
Kozin, M.G., see V.A. Andrianov **192**, 8
Kozioł, Z., J.J.M. Franse, P. de Châtel, T. Vorenkamp, K. Bakker, A. de Visser and A.A. Menovsky, Unconventional superconductivity in UPt_3. Low field AC susceptibility studies **192**, 284

Krajewski, J.J., see H.W. Zandbergen **192**, 223
Krill, G., see H. Tolentino **192**, 115
Kucera, J.T., L.M. Rubin, K. Uwai, J.D. Perkins, J.M. Graybeal, T.P. Orlando, J.B. Vander Sande, A. Roshko and J. Moreland, Fabrication of nanometer smooth $Bi_2Sr_2CaCu_2O_{8+\delta}$ films by reactive co-sputtering from elemental targets with pure ozone **192**, 23
Kumar, R., see A.K. Grover **192**, 372
Kurihara, S., see N. Mitani **192**, 230
Kwei, G.H., see H.Y. Hwang **192**, 362

Lacayo, G., G. Kästner and R. Herrmann, Twin to tweed transition in $YBa_2Cu_3O_{7-\delta}$ by substitution of Al for Cu **192**, 207
Lam, C.C., see C.G. Cui **192**, 385
Larbalestier, D.C., see Y. Feng **192**, 293
Lavrentjev, V.V., see N.E. Alekseevskii **192**, 147
Lee, K.H., see K.F. Voss **192**, 131
Lee, P., see M. Qi **192**, 55
Li, S.L., see C.G. Cui **192**, 385
Licci, F., see A.M. Cucolo **192**, 279
Liu, J.Q., see Y.G. Zhao **192**, 18
Liu, J.Z., see K.F. McCarty **192**, 331
Luo, J.S., N. Merchant, V.A. Maroni, D.M. Gruen, B.S. Tani, K.H. Sandhage and C.A. Craven, Growth of *c*-axis-oriented films of $YbBa_2Cu_3O_{7-\delta}$ on single and polycrystalline MgO substrates by oxidation of a liquid alloy precursor **192**, 356

Maeda, M., see H. Higa **192**, 202
Maekawa, S., see Y. Enomoto **192**, 166
Malik, S.K., see A.K. Grover **192**, 372
Manthiram, A., see C.L. Wooten **192**, 13
Markert, J.T., see C.L. Wooten **192**, 13
Marks, L.D., see V.P. Dravid **192**, 31
Maroni, V.A., see J.S. Luo **192**, 356
Mazaki, H., see K. Yamamoto **192**, 47
Mazin, I.I., see S.V. Shulga **192**, 41
McCarty, K.F., J.Z. Liu, Y.X. Jia, R.N. Shelton and H.B. Radousky, Comparison of the Raman-active phonons of $YBa_2Cu_3O_7$ crystals grown in gold and zirconia crucibles **192**, 331
Medvedev, E.Yu., see N.E. Alekseevskii **192**, 147
Mehring, M., see C. Kessler **192**, 79
Menovsky, A.A., see Z. Kozioł **192**, 284
Merchant, N., see J.S. Luo **192**, 356
Mikhaljov, K.N., see N.E. Alekseevskii **192**, 147
Mitani, N. and S. Kurihara, Marginal Fermi-liquid theory and renormalization effects **192**, 230
Mitin, A.V., see N.E. Alekseevskii **192**, 147
Mitros, C., see M. Pissas **192**, 35
Mohan, S., see G.K. Muralidhar **192**, 447
Mohan Rao, G., see G.K. Muralidhar **192**, 447
Moreland, J., see J.T. Kucera **192**, 23
Morris, D.E., see M.R. Chandrachood **192**, 103
Moshchalkov, V.V., see M. Boekholt **192**, 191
Motohira, N., see T. Kimura **192**, 247
Muller, J., see J.-Y. Genoud **192**, 137
Muralidhar, G.K., G. Mohan Rao, J. Raghunathan and S. Mohan, Effect of deposition parameters on the structural properties and T_c of YBaCuO films by high pressure oxygen sputtering **192**, 447

Nakagawa, M., see T. Sugimoto **192**, 108
Nakayama, Y., see T. Kimura **192**, 247
Nara, A., see A. Ichinose **192**, 1
Nara, A., see T. Wada **192**, 181
Narlikar, A.V., see K.V.R. Rao **192**, 419
Nebendahl, B., see C. Kessler **192**, 79
Negi, J.S., see B.K. Agrawal **192**, 237
Neminsky, A.M., see G.V. Uimin **192**, 481
Niarchos, D., see M. Pissas **192**, 35
Nikolaev, E.G., see N.E. Alekseevskii **192**, 147
Nkum, R.K. and W.R. Datars, Fluctuation induced conductivity in the Sn-doped $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ superconducting system **192**, 215
Novomlinsky, L.A., see G.V. Uimin **192**, 481

O, B.-H., see C.L. Wooten **192**, 13
Ohsugi, S., see Y. Kitaoka **192**, 272
Ohtani, T., see Y. Kitaoka **192**, 272
Orlando, T.P., see J.T. Kucera **192**, 23

Paracchini, C., L. Romanó and S. Bellini, The universal correlation between T_c and n/m^* in HTSC obtained from *I–V* characteristics **192**, 443
Paranthaman, M., M. Foldeaki and A.M. Hermann, Hole concentration and critical temperature in the $Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$ system **192**, 161
Parrella, R., see W. Gao **192**, 173
Paul, D.McK., see M.P. Sridhar Kumar **192**, 462
Paulose, P.L., see A.K. Grover **192**, 372
Peck Jr., W.F., see H.W. Zandbergen **192**, 223
Perkins, J.D., see J.T. Kucera **192**, 23
Perng, L.H., see T.S. Chin **192**, 154
Pissas, M., C. Mitros, G. Kallias, V. Psycharis, A. Simopoulos, A. Kostikas and D. Niarchos, Synthesis, thermogravimetric and ^{57}Fe Mössbauer studies of the oxygen deficient perovskite $REBaCuFeO_{5+x}$ series (RE=Y, Nd, Sm, Gd, Dy, Tm, Lu) **192**, 35
Pondo, A., see L. Adamowicz **192**, 467
Porat, O., I. Riess and H.L. Tuller, Investigation of defect equilibria in $YBa_2Cu_3O_x$ by a solid state electrochemical method **192**, 60
Pouchard, M., see A. Demourgues **192**, 425
Psycharis, V., see M. Pissas **192**, 35

Qi, M., Z.F. Ren, Y. Gao, P. Lee, Y.L. Soo and J.H. Wang, The influence of hydrogen reduction on single crystals of $Bi_2Sr_2CaCu_2O_y$ **192**, 55

Radousky, H.B., see K.F. McCarty **192**, 331
Raghunathan, J., see G.K. Muralidhar **192**, 447
Ramakrishna, K., see A.K. Srivastava **192**, 391
Ramakrishnan, S., see A.K. Grover **192**, 372

Ramasesha, S.K. and A.K. Singh, Thermoelectric power and resistivity of $YBa_2Cu_4O_8$ under pressure **192**, 328
Rao, C.N.R., see A.K. Santra **192**, 311
Rao, K.V.R., K.B. Garg, S.K. Agarwal, V.P.S. Awana and A.V. Narlikar, Cu K-edge X-ray absorption study of Fe-doped $Bi_2Ca_1Sr_2Cu_2O_y$ superconductors **192**, 419
Ray II, R., see Y. Feng **192**, 293
Ren, Z.F., see M. Qi **192**, 55
Riess, I., see O. Porat **192**, 60
Romanó, L., see C. Paracchini **192**, 443
Romashkina, I.L., see V.A. Andrianov **192**, 8
Roshko, A., see J.T. Kucera **192**, 23
Rossat-Mignod, J., see H. Tolentino **192**, 115
Rubin, L.M., see J.T. Kucera **192**, 23
Rupp, M., see Ph. Seng **192**, 403
Rupp Jr., L.W., see H.Y. Hwang **192**, 362

Saemann-Ischenko, G., see Ph. Seng **192**, 403
Sakurai, T., see S. Adachi **192**, 351
Salama, K., see J.L. Cohn **192**, 435
Sandhage, K.H., see J.S. Luo **192**, 356
Santra, A.K., R.R. Sheelam and C.N.R. Rao, Dependence of the Cu (2p) photoemission intensities and the superconducting transition temperatures in cation-substituted derivatives of $YBa_2Cu_3O_7$ and $La_{1.8}Sr_{0.2}CuO_4$ on the hole concentration and related factors **192**, 311
Satchell, J.S., see S.W. Goodyear **192**, 85
Schmitt, P., see Ph. Seng **192**, 403
Schultz, L., see Ph. Seng **192**, 403
Selvamanickam, V., see J.L. Cohn **192**, 435
Seng, Ph., R. Gross, U. Baier, M. Rupp, D. Koelle, R.P. Huebener, P. Schmitt, G. Saemann-Ischenko and L. Schultz, Dissipative flux motion in epitaxial $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2CaCu_2O_{8+x}$ films **192**, 403
Shabatin, V.P., see V.A. Andrianov **192**, 8
Sheelam, R.R., see A.K. Santra **192**, 311
Shelton, R.N., see K.F. McCarty **192**, 331
Shiohara, Y., see T. Sugimoto **192**, 108
Shlyakhtin, O.A., see V.A. Andrianov **192**, 8
Shovkun, D.V., see G.V. Uimin **192**, 481
Shpinel, V.S., see V.A. Andrianov **192**, 8
Shulga, S.V., O.V. Dolgov and I.I. Mazin, Electron–phonon coupling and specific heat in $YBa_2Cu_3O_7$ **192**, 41
Simopoulos, A., see M. Pissas **192**, 35
Singh, A.K., see S.K. Ramasesha **192**, 328
Sinha, A.P.B., see M.R. Chandrachood **192**, 103
Smedskjaer, L.C., A. Bansil, U. Welp, Y. Fang and K.G. Bailey, A temperature dependent 2D-ACAR study of untwinned metallic $YBa_2Cu_3O_{7-x}$ **192**, 259
Smith, M.G., see C.L. Wooten **192**, 13
Smith, S., see M.P. Sridhar Kumar **192**, 462
Soo, Y.L., see M. Qi **192**, 55
Sridhar Kumar, M.P., S.M. Doyle, S. Smith and D.McK. Paul, Preparation and properties of $LaBaRCu_3O_{7+\delta}$ (where R = Nd and Pr) **192**, 462
Srivastava, A.K., K. Ramakrishna and O.N. Srivastava, Electron microscopic investigations of the as-synthesised and dissociated Y:124 HTSC phases **192**, 391
Srivastava, O.N., see A.K. Srivastava **192**, 391
Sugimoto, T., M. Nakagawa, Y. Shiohara and S. Tanaka, *a*-Axis oriented Bi–Sr–Ca–Cu–O thin films deposited on (100) MgO substrates by metalorganic chemical vapor deposition **192**, 108
Sun, J.Z., see K.F. Voss **192**, 131
Surnow, J.S., see M.R. Chandrachood **192**, 103
Suzuki, I., see H. Higa **192**, 202

Tan, Z., see H.Y. Hwang **192**, 362
Tanaka, S., see A. Ichinose **192**, 1
Tanaka, S., see T. Sugimoto **192**, 108
Tanaka, S., see T. Wada **192**, 181
Tanaka, S., see H. Higa **192**, 202
Tanaka, S., Phenomenological two-carrier model for oxide superconductors **192**, 315
Tanaka, S., see S. Adachi **192**, 351
Tang, S.T., see C.G. Cui **192**, 385
Tani, B.S., see J.S. Luo **192**, 356
Terashima, T., see K. Yamamoto **192**, 47
Tolentino, H., F. Baudelet, A. Fontaine, T. Gourieux, G. Krill, J.Y. Henry and J. Rossat-Mignod, Sequence and symmetry of hole injection in $YBa_2Cu_3O_{6+x}$. In situ and ex situ experiments on powders and single crystals using X-ray absorption spectroscopy **192**, 115
Triscone, G., see J.-Y. Genoud **192**, 137
Tuller, H.L., see O. Porat **192**, 60

Uimin, G.V., V.F. Gantmakher, A.M. Neminsky, L.A. Novomlinsky, D.V. Shovkun and P. Brüll, Dependence of T_c on the oxygen distribution in the Cu–O chains in the high temperature superconductors $YBa_2Cu_3O_{6+x}$ **192**, 481
Ushida, T., see H. Higa **192**, 202
Uwai, K., see J.T. Kucera **192**, 23

Vanderah, T.A., see J.L. Cohn **192**, 435
Vander Sande, J., see W. Gao **192**, 173
Vander Sande, J.B., see J.T. Kucera **192**, 23
Vandervoort, K., see J. Kircher **192**, 473
Verkhovskii, S.V., see N.E. Alekseevskii **192**, 147
Volkov, A.F., On the magnetization of layered superconducting structures in a parallel magnetic field **192**, 306
Vorenkamp, T., see Z. Kozioł **192**, 284
Voss, K.F., K.H. Lee, A.J. Heeger, J.Z. Sun and K.H. Young, IR reflection studies of thin $YBa_2Cu_3O_{7-\delta}$ films parallel and perpendicular to the CuO planes **192**, 131

Wada, T., see A. Ichinose **192**, 1
Wada, T., A. Nara, A. Ichinose, H. Yamauchi and S. Tanaka, Homologous compound series containing multiple-MO_2-unit fluorite block, $(Fe,Cu)Sr_2(Y,Ce)_nCu_2O_{4+2n+z}$ ($n=1$, 2, 3 and $z\sim1$) **192**, 181
Wang, J.H., see M. Qi **192**, 55
Wang, X.P., see C.G. Cui **192**, 385
Wattiaux, A., see A. Demourgues **192**, 425
Weill, F., see A. Demourgues **192**, 425

Welp, U., see L.C. Smedskjaer **192**, 259
Welp, U., see J. Kircher **192**, 473
Wolf, S.A., see J.L. Cohn **192**, 435
Wolf, Th., see C. Kessler **192**, 79
Wonneberger, W., see S.N. Artemenko **192**, 453
Wooten, C.L., B.-H. O, J.T. Markert, M.G. Smith, A. Manthiram, J. Zhou and J.B. Goodenough, The pressure dependence of T_c in the infinite-layer electron-doped compound $Sr_{0.84}Nd_{0.16}CuO_2$ **192**, 13

Yadav, P.S., see B.K. Agrawal **192**, 237
Yaegashi, Y., see A. Ichinose **192**, 1
Yaegashi, Y., see S. Adachi **192**, 351
Yamafuji, K., see T. Kimura **192**, 247
Yamamoto, K., H. Mazaki, H. Yasuoka, T. Terashima and Y. Bando, Harmonic susceptibilities of single-crystal $YBa_2Cu_3O_y$ thin films **192**, 47
Yamauchi, H., see A. Ichinose **192**, 1
Yamauchi, H., see T. Wada **192**, 181
Yamauchi, H., see S. Adachi **192**, 351
Yang, B.C., see C.G. Cui **192**, 385
Yang, S.J., see T.S. Chin **192**, 154
Yasuoka, H., see K. Yamamoto **192**, 47
Young, K.H., see K.F. Voss **192**, 131

Zandbergen, H.W., R.J. Cava, J.J. Krajewski and W.F. Peck Jr., HREM on the new superconducting compound $Nd_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10-\delta}$ **192**, 223
Zhang, H., see V.P. Dravid **192**, 31
Zhang, J.P., see V.P. Dravid **192**, 31
Zhao, Y.G., J.Q. Liu, K. Zhu and Z.X. Zhao, Frequency variation of the two-magnon scattering peak in $YBa_2Cu_{3-x}Zn_xO_y$ and $YBa_{2-x}La_xCu_3O_y$ **192**, 18
Zhao, Z.X., see Y.G. Zhao **192**, 18
Zhdanov, Yu.I., see N.E. Alekseevskii **192**, 147
Zhou, J., see C.L. Wooten **192**, 13
Zhu, K., see Y.G. Zhao **192**, 18

Physica C 192 (1992) 497–498
North-Holland

PHYSICA C

Analytic Subject Index to Volume 192

AC susceptibility 47, 137, 372, 403
AC susceptibility of superconductors 284
Applications of high-T_c superconductors 173, 202, 293

Band structure 259, 467
BCS model 161

Carrier concentration 1, 60, 161, 315, 443
Coulomb interactions 315
Critical current density 85, 173, 247, 293, 385, 447
Critical state model 47
Cu–O chains 391, 481
Cu–O planes 230, 315

Defect structure 75
Defect structures 31, 173, 207, 293, 391, 435
Density of states 467

EELS 31
Electrical resistivity 215, 328, 462
–of $Sr_{0.84}Nd_{0.16}CuO_2$ 13
Electronic structure 115
–of $YBa_2Cu_3O_7$ 473
Electron–phonon coupling 41, 272
Eliashberg equations 41
Energy gap 279
ESR 331, 399
Excitonic mechanism 315

Fermi surface 259
Fluctuation effects 166, 215, 453
Flux creep 85
Flux dynamics 79, 166, 403
Flux pinning 31, 75, 79, 166, 247, 385

Grain alignment (texturing) 108, 293

Heavy fermion compounds 284
High pressure effect 13, 328
$(Ho,Ce)_2Sr_2Cu_3O_{8+z}$ and $(Eu,Ce)_2(Eu,Sr)_2Cu_{3-x}M_xO_{8+z}$ (M = Fe, Co and Al) 1
Hole concentration 18
HREM 23, 31, 223, 425

Hubbard Hamiltonian 467

Infrared spectroscopy 131
Interfaces 279
Irreversibility line 403
Irreversible line 372

Josephson vortices 306

Kosterlitz–Thouless model 443

Lattice dynamics 435
Layered superconductors 306
Lower critical field H_{cl} 284

Magnetic relaxation 85
Magnetic susceptibility 95, 103
Magnetisation 85
Magnetization 247, 306, 372
–of $Bi_2Sr_2CaCu_2O_y$ 55
Marginal Fermi liquid 230
Microwave absorption 79
Mixed state 453
Mössbauer spectroscopy 8
–of $REBaFeO_{5+x}$ (RE = Y, Nd, Sm, Gd, Dy, Tm, Lu) 35
Multilayers 453

NMR
–in $Tl_2Ba_2CuO_{6+\delta}$ 147
–in $TlMo_6Se_{7.5}$ 272
Non-ohmic behaviour 443
Normal-state properties 247, 435

Optical reflectivity 315
Optical spectroscopy 473
Oxygen stoichiometry 1, 8, 55, 60, 115, 362, 462, 481

Phonon spectrum 191
–of $Tl_{1(2)}Ba_2Cu_{n-1}Cu_nO_{2n+3(4)}$ 237
Photoemission spectroscopy 315
Pinning force 75
Plasmon mechanism 315
Positron annihilation 259

Raman scattering 18, 331
–in $Bi_2Sr_2Ca_{1-z}Y_zCu_2O_{8+\delta}$ 191
Rare-earth valence 362

Specific heat, at T_c 41
Specific heat at low temperatures 95
Spin fluctuations 95, 147
Spin–lattice relaxation time T_1 147, 272
Structural phase transition 60, 137
–in $Pr_{2-x}Sr_xCuO_{4-\delta}$ 361
–in $YBa_2Cu_3O_{6+x}$ 481
Structure
–of $Bi_2Ca_1Sr_2Cu_2O_y$ 419
–of Bi(Pb)SrCaCuO 154
–of $(Fe,Cu)Sr_2{\cdot}Y,Ce)_nCu_2O_{4+2n+z}$ 181
–of $(La,Sr)_2(Ca,Y)Cu_2O_6$ 351
–of $La_2NiO_{4+\delta}$ 425
–of $Nd_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10-\delta}$ 223
–of $REBaFeO_{5+x}$ (RE = Y, Nd, Sm, Gd, Dy, Tm, Lu) 35
–of $Y_1Ba_2Cu_4O_8$ 103
–of $Y_2Ba_4Cu_7O_{15}$ 137
–of $YbBa_2Cu_3O_{7-\delta}$ 356
Subsitution
–in $La_{1.8}Sr_{0.2}Ni_{1-x}Cu_xO_{4+\delta}$ 95
Subsitution effect 18
Substitution effects 1, 215
–in $Bi_2Ca_1Sr_2Cu_2O_y$ 419
–in $(La,Sr)_2(Ca,Y)Cu_2O_6$ 351
–in $Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$ 161
–in $Y_1Ba_2Cu_4O_8$ 103
–in $YBa_2Cu_3O_7$ and $La_{1.8}Sr_{0.2}CuO_4$ 315
–in $YBa_2Cu_3O_{7-\delta}$ 207
–in $YBa_2Cu_3O_{7-x}$, ^{57}Co 8
–in YBaCuO 399
Superstructure 462
Surface impedance 453
Synthesis
–of $Bi_2Sr_2CaCu_2O_{+\delta}$ 23
–of Bi(Pb)SrCaCuO 154
–of Bi–Sr–Ca–Cu–O 108
–of $(Fe,Cu)Sr_2{\cdot}Y,Ce)_nCu_2O_{4+2n+z}$ 181
–of $La_2NiO_{4+\delta}$ 425
–of $Y_2Ba_4Cu_{6+n}O_{14+n}$ 391
–of $YBa_2Cu_3O_7$ 331
–of YBaCuO 447
–of $YbBa_2Cu_3O_{7-\delta}$ 356

Thermal conductivity 435
Thermoelectric effects 328
Thin film 385

Thin films 23, 47, 85, 131, 202, 356, 447
–of Bi(Pb)SrCaCuO 154
–of Bi–Sr–Ca–Cu–O 108
–of $YBa_2Cu_3O_{7-\delta}$ and
$Bi_2Sr_2CaCu_2O_{8+x}$ 403
Tunneling 279
Twin boundaries 207

Upper critical field H_{c2} 385

XANES 55, 419
XAS 115
XRD 1

Physica C 192 (1992) 499
North-Holland

PHYSICA C

Materials Index to Volume 192

$Bi_2Ca_1Sr_2Cu_2O_y$
–structure 419
–substitution effects 419
$Bi_2Sr_2Ca_{1-z}Y_zCu_2O_{8+\delta}$
–Raman scattering 191
$Bi_2Sr_2CaCu_2O_{+\delta}$
–synthesis 23
$Bi_2Sr_2CaCu_2O_y$
–magnetization 55
Bi(Pb)SrCaCuO
–structure 154
–synthesis 154
–thin films 154
Bi–Sr–Ca–Cu–O
–synthesis 108
–thin films 108

$(Fe,Cu)Sr_2{\cdot}Y,Ce)_nCu_2O_{4+2n+z}$
–structure 181
–synthesis 181

$(La,Sr)_2(Ca,Y)Cu_2O_6$
–structure 351
–substitution effects 351
$La_{1.8}Sr_{0.2}Ni_{1-x}Cu_xO_{4+\delta}$
–subsitution 95

$La_2NiO_{4+\delta}$
–structure 425
–synthesis 425

$Nd_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10-\delta}$
–structure 223

$Pr_{2-x}Sr_xCuO_{4-\delta}$
–structural phase transition 362

$REBaFeO_{5+x}$
–Mössbauer spectroscopy 35

$Sr_{0.84}Nd_{0.16}CuO_2$
–electrical resistivity 13

$Tl_{1(2)}Ba_2Cu_{n-1}Cu_nO_{2n+3(4)}$
–phonon spectrum 237
$Tl_2Ba_2CuO_{6+\delta}$
–NMR 147
$Tl_{2-x-z}Ba_2Ca_{2+x}Cu_3O_{10-y}$
–substitution effects 161
$TlMo_6Se_{7.5}$
–NMR 272

$Y_1Ba_2Cu_4O_8$
–structure 103
–substitution effects 103
$Y_2Ba_4Cu_{6+n}O_{14+n}$
–synthesis 391
$Y_2Ba_4Cu_7O_{15}$
–structure 137
$YBa_2Cu_3O_{6+x}$
–structural phase transition 481
$YBa_2Cu_3O_7$
–electronic structure 473
–substitution effects 315
–synthesis 331
$YBa_2Cu_3O_{7-\delta}$
–substitution effects 207
–thin films 403
$YBa_2Cu_3O_{7-x}$
–substitution effects 8
YBaCuO
–substitution effects 399
–synthesis 447
$YbBa_2Cu_3O_{7-\delta}$
–structure 356
–synthesis 356